



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|--------------------------|-------------|----------------------|---------------------|------------------|
| 09/591,621 | 06/09/2000 | Vidyabhusan Gupta | 99-LJ-186 | 3053 |
| 30425 | 7590 | 06/06/2006 | EXAMINER | |
| STMICROELECTRONICS, INC. | | | DAY, HERNG DER | |
| MAIL STATION 2346 | | | ART UNIT | |
| 1310 ELECTRONICS DRIVE | | | PAPER NUMBER | |
| CARROLLTON, TX 75006 | | | 2128 | |

DATE MAILED: 06/06/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

| | | | |
|------------------------------|---------------------|---------------------|--|
| Office Action Summary | Applicant(s) | Applicant(s) | |
| | 09/591,621 | GUPTA, VIDYABHUSAN | |
| | Examiner | Art Unit | |
| | Herng-der Day | 2128 | |

-- **The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 21 April 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-29 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-29 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This communication is in response to Applicant's Amendment and Response ("Amendment") to Office Action dated January 18, 2006, mailed April 17, 2006, and received by PTO April 21, 2006.

1-1. Claims 1, 8, and 22 have been amended. Claims 1-29 are pending.

1-2. Claims 1-29 have been examined and rejected.

Specification

2. The objections to the specification have been withdrawn.

Recommendations

3. Claims 1, 8, and 22 recite the limitation "determining at least one memory configuration" in each claim and also recite "designing a memory for use in an embedded processing system" in the preamble of each claim. For clarification purposes, the Examiner suggests that "designing a memory for use in an embedded processing system" be replaced with "designing a memory configuration for use in an embedded processing system".

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

Art Unit: 2128

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

5. Claims 1-29 are rejected under 35 U.S.C. 102(b) as being anticipated by Giorgi et al., “An Educational Environment for Program Behavior Analysis and Cache Memory Design”, 1997 Frontiers in Education Conference, Proceedings of Teaching and Learning in an Era of Change, 1997, Volume 3, pages 1243-1248.

5-1. Regarding claim 1, Giorgi et al. disclose an apparatus for designing a memory for use in an embedded processing system comprising:

a simulation controller capable of simulating execution of a program to be executed by said embedded processing system (Applications can be executed and debugged on a dedicated ARM instruction set simulator, page 1244, left column, paragraph 3; jpeg program, page 1246, right column, paragraph 2);

a memory access monitor capable of monitoring, during said simulated execution of said program, memory accesses to a simulated memory space, wherein said memory access monitor is capable of generating memory usage statistical data associated with said monitored memory accesses, and wherein said memory accesses comprise read operations and write operations (Program Behavior Analysis, page 1244, left column, paragraph 5; traces the execution of the jpeg program, page 1246, right column, paragraph 2); and

a memory optimization controller capable of comparing said memory usage statistical data and one or more design criteria associated with said embedded processing system (for example, the image compression be completed in less than 1s, page 1246, right column, paragraph 2) and, in response to said comparison, determining at least one memory configuration capable of satisfying said one or more design criteria (select a configuration that best meets cost-

Art Unit: 2128

effectiveness and performance requirements, page 1247, left column, paragraph 4, through page 1247, right column, paragraph 2).

5-2. Regarding claim 2, Giorgi et al. further disclose said at least one memory configuration is determined from a set of memory types, said ' set of memory types comprising at least two of static random access memory (SRAM), dynamic random access memory (DRAM), read-only memory (ROM), flash RAM (FLASH), and electronically erasable programmable read-only memory (EEPROM) (for example, a 1-Mbyte memory DRAM bank, a 128-Kbyte memory PROM bank, page 1246, right column, paragraph 3).

5-3. Regarding claim 3, Giorgi et al. further disclose said at least one memory configuration comprises a first memory type and a first memory size associated with said first memory type (For each module, the configuration parameters include the module type, the starting address and the size, page 1246, right column, paragraph 7).

5-4. Regarding claim 4, Giorgi et al. further disclose said at least one memory configuration further comprises a second memory type and a second memory size associated with said second memory type (For each module, the configuration parameters include the module type, the starting address and the size, page 1246, right column, paragraph 7).

5-5. Regarding claim 5, Giorgi et al. further disclose said simulation controller simulates execution of said program N times and wherein said memory access monitor monitors said memory accesses during said N simulated executions of said program and generates said memory usage statistical data based on said N simulated executions of said program (trace analysis, page 1244, left column, paragraph 5; allows the cache to exit its cold state and to reach a steady condition, page 1244, right column, paragraph 2).

Art Unit: 2128

5-6. Regarding claim 6, Giorgi et al. further disclose said memory optimization controller is further capable of determining at least one figure of merit associated with said at least one memory configuration, wherein said at least one figure of merit indicates a degree to which said at least one memory configuration satisfies said one or more design criteria (for example, max delay as shown in Table 1 at page 1248 can be used as figure of merit to select a configuration for rawcaudio program).

5-7. Regarding claim 7, Giorgi et al. further disclose comprising a code optimization controller capable of modifying said program in response to said comparison of said memory usage statistical data and said one or more design criteria to thereby enable said embedded processing system to execute said program according to said one or more design criteria (cache scheme defined by, for example, the mapping policy, the replacement algorithm, page 1245, right column, paragraph 2).

5-8. Regarding claims 8-14, these method claims include equivalent apparatus limitations as in claims 1-7 and are anticipated using the same analysis of claims 1-7.

5-9. Regarding claims 15-21, these system claims include equivalent apparatus limitations as in claims 1-7 and are anticipated using the same analysis of claims 1-7.

5-10. Regarding claims 22-28, these medium claims include equivalent apparatus limitations as in claims 1-7 and are anticipated using the same analysis of claims 1-7.

5-11. Regarding claim 29, Giorgi et al. further disclose the memory usage statistical data comprises at least one of:

one or more first histograms based on variable names contained in the program to be executed by the embedded processing system; and

one or more second histograms based on memory locations accessed by the program to be executed by the embedded processing system (page 1245, Figure 2).

Applicant's Arguments

6. Applicant argues the following:

6-1. Recommendations

(1) "While the language of the amended claim is not identical to that proposed by the Examiner, the Applicant respectfully suggests that the amendment complies with the intent of the Examiner's recommendation." (Page 11, the last paragraph, Amendment).

6-2. Rejections Under 35 U.S.C. §102

(2) "The Applicant has amended independent Claim 1 to more clearly recite what the Applicant regards as the invention. Amended Claim 1 recites the limitation of a memory access monitor that monitors, during simulated execution of a program, memory accesses by the program to a simulated memory space. This is in distinct contrast to the educational software package of the Giorgi reference, which creates a trace file during simulated program execution, then analyzes the trace file after the simulation has completed." (Page 12, the last paragraph through page 13, the first paragraph, Amendment).

Response to Arguments

7. Applicant's arguments have been fully considered.

7-1. Response to Applicant's argument (1). In claims 1, 8, and 22, it appears that the claimed limitation "determining at least one memory configuration" is different from "designing a

Art Unit: 2128

memory for use in an embedded processing system” as recited in the preamble. For clarification purposes, the Examiner made the recommendation as detailed in section 3 above.

7-2. Applicant’s argument (2) is not persuasive. First, “traces the *execution* of the jpeg program” (page 1246, right column, paragraph 2) meets the claimed limitation “capable of monitoring, during said simulated execution of said program”. Second, the steps of capable of generating and comparing as well as the step of determining in the amended claim 1 do not require these steps to be done “during said simulated execution of said program”. Therefore, the Giorgi reference meets the claimed limitations.

Conclusion

8. **THIS ACTION IS MADE FINAL.** See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

9. Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Herng-der Day whose telephone number is (571) 272-3777. The Examiner can normally be reached on 9:00 - 17:30.

Art Unit: 2128

Any inquiry of a general nature or relating to the status of this application should be directed to the TC 2100 Group receptionist: (571) 272-2100.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Kamini S. Shah can be reached on (571) 272-2279. The fax phone numbers for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Herng-der Day
May 30, 2006

H.D.

Thay Phan
Thay Phan
Patent Examiner